

NETIQ VPN TOKEN USER GUIDE

VERSION 1.7



目录 Contents

1.更新配置文件-Update user profile	2
1.1 安装 BBA-VPN-NetIQ 用户配置文件 -Install BBA-VPN-NetIQ user profile	2
2. NetIQ VPN 令牌用户设置 - NetIQ VPN Token User Setting	4
2.1 登陆 NetIQ 自助设置页面 - Logging into the NetIQ Self-service Portal	4
2.2 设置用户自定义密码 -Set the user self-defined Password	6
2.3 设置 NetIQ VPN 令牌 - Set the NetIQ VPN Token	7
3.连接 BBA-VPN-NetIQ - Connect to BBA-VPN-NetIQ	9



1. 更新配置文件-Update user profile

1.1 安装 BBA-VPN-NetIQ 用户配置文件 -Install BBA-VPN-NetIQ user profile

Open software center in your computer, as shown below: 打开电脑中的 software center,如下图:



Click "NETIQ VPN Update_V1.0" and Install:

点击"NETIQ VPN Update_V1.0"并安装:

Software Center									1000	a ×
BBA										
Applications 1 Outplates Operating Systems	All Required		▼ Sort by:	Most recent 🔹				Search		م ≣ ≣ ∎
Installation status										
Device compliance	<u>()</u>									
	NETIQ VPN Update_V1.0 - in	BMW_NewFonts_0 127 - installation	JAVA JRE 8U191 X64 - installation	EAMS - installation	BMWscreensaver_ V4 - installation	New_BMW_Fonts - installation 88A	EPM_Addin - Installation_x64	EPM_Addin - Installation_x32	VSCode - installation Visualstudio 1.43.0	
	Appium - installation Appium 1.15.1	Mongodb- Compass-Comm Mongodb Community-1.20.5-w	FireFox - installation Mozilla 18.5.0.0	Pycharm_Commun ity - installation Pycharm Community-2019.3.3	Node Js - installation Node.Js 12.16.1-x64	android_studio_ide - installation Android Studio 192.6241897	Notepad++ - installation Notepad npp.7.8.4	Putty - installation Simon Tatham 0.73-installer	TortoiseGit - installation Subversion 2.10.0.0-64bit	
										*

Installation Compete, as shown below:

安装成功,如下图:

P Software Center		
BBA		
Applications 1	Applications > Appl	lication details
C Updates		NETIO VPN Undate V10 - installation
🕒 Operating Systems		
Installation status		Reinstall
Device compliance		
Options		Status: Installed Date published: 3/23/2022
		Restart required: No Download size: Less than 1 MB
		Estimated time: Not specified Total components: 1

Note: The next chapter is for user self-defined Password settings. If you don't set it, you cannot receive the JoyChat token code and cannot meet multi-factor authentication security policy. Users who do not meet the security policy will be locked by the system. 注:下章为用户自定义密码设置,如不设置则无法接收悦信令牌码,且不满足多因素认证安全策略。不满足安全策略的用户将会被系统锁定,无法使用。

2.1 登陆 NetIQ 自助设置页面 - Logging into the NetIQ Self-service Portal

Open the link in your browser: <u>https://vpn.bba</u>,

使用浏览器打开链接: <u>https://vpn.bba</u>,

Enter your BBA account (Uxxxx or UFxxxx) and click Next as shown below: 输入你的 BBA 域帐户(Uxxxx or UFxxxx),点击 Next,如下图:

User name	
	2 Next →

Enter the BBA account password and click next, as shown below: 输入 BBA 域帐户密码,点击 next,如下图:

Chain	LDAP Password Only
Method	LDAP password
Password 1	
2	Next > Cancel

Login self-service portal successful, as shown below:

登录自助页面成功,如下图:



2.2 设置用户自定义密码 -Set the user self-defined Password

Click "Password" to set the user self-defined **Password**, as shown below: 点击 "Password" 设置用户自定义**密码**,如下图:

	Enrolled Authenticators
LDAP password	
And Greated	
	Add Authenticator
Password	SMS OTP

Enter 6-8 digit password, enter the same password again in "Confirmation" (the password must be a number), and click save, as shown below:

输入 6-8 位**密码**,在"Confirmation"中再次输入相同**密码**(密码必须是数字),点击 save, 如下图:

	Add Password authenticator
The Password method is a password store password.	ed in the NetIQ Advanced Authentication that is not connected to your corporate director
Comment	Comment
Password 1	
Confirmation 2	
3	Save

User self-defined Password setting is completed, as shown below:

用户自定义密码设置完成,如下图:

LDAP password Auto-created	Enrolled Authenticators
	Add Authenticator
SMS OTP	

2.3 设置 NetIQ VPN 令牌 - Set the NetIQ VPN Token

This step will bind the NetIQ VPN token to JoyChat Xiaobao, so that you can receive the NetIQ VPN token code through JoyChat Xiaobao.

本步骤会将 NetlQ VPN 令牌与悦信小宝绑定,让你可以通过悦信小宝收到 NetlQ VPN 令牌 码。

If your BBA account (Uxxxx or UFxxxx) has a phone number registered, the NetlQ VPN token (SMS OTP in below picture) will be created automatically without manual setting, as shown below: 如果你的 BBA 域帐户(Uxxxx 或 UFxxxx)中已登记了电话号码,则 NetlQ VPN 令牌(即下 图中的 SMS OTP) 会自动创建,不需要手动设置,如下图:



If there is no phone number in your BBA account, follow the steps below to add the NetlQ VPN Token $(\mathsf{SMS}\:\mathsf{OTP})$.

如果你的 BBA 域帐户(Uxxxx 或 UFxxxx)中没有设置电话号码,则按照如下步骤添加 NetlQ VPN 令牌(即 SMS OTP)。

Click "SMS OTP" to set NetIQ VPN Token as shown below:

点击"SMS OTP"设置 NetIQ VPN 令牌,如下图:



Enter your phone number in "Phone number", and click Save

输入你的电话号码到"Phone number",点击 save

	Add SMS OTP authenticator
The SMS OTP method uses your mobile p time password (OTP). You can use this OT	hone number from your corporate directory. The SMS OTP method sends a text mes P to authenticate within the specified timeframe.
Your cell phone number where the SMS O	TP is sent is: unknown
Comment	Comment
Phone number 1	+8613
2	Save Cancel

Completed, as shown below:

添加完成,如下图:

	Enrolled Auth	nenticators
	•••	1
LDAP password	Password	SMS OTP

Now, NetIQ VPN token self-service setting is complete.

现在,NetlQVPN 令牌自助设置完成。

Open Cisco AnyConnect, select "BBA-VPN-NetlQ", and click Connect. 打开 Cisco AnyConnect,选择 "BBA-VPN-NetlQ",点击 Connect。



Enter your BBA account(Uxxxx or UFxxxx) and user-defined **Password**, click OK.

输入你的 BBA 域帐户和用户自定义密码,点击 OK。

S Cisco	o AnyConnect BBA-VPN-NetIQ	×
٢	Please enter your username and password.	
	Password2	
	3 ОК Сал	cel

Enter the NetIQ VPN token code received by your JoyChat Xiaobao ,and click Continue.

输入悦信小宝收到的 NetlQ VPN 令牌码,点击 Continue。



VPN connection succeeded.

VPN 连接成功。

